Introduction

TEKSAN's system solutions for registration of consumption are based on the "modular" principle.

The standardized interfaces and open system architecture of our metering devices allow a choice of equipment that matches the property requirements as well as the direct and expensive integration of additional services.

Another advantage of our systematic approach is that all latter TEKSAN products are compatible with their formers. Metering devices of different generations can be used in parallel within one property with the avoidance of major costs for new ones. In case of a chance of the local conditions or the requirements of performance, a change of system or upgrade within the TEKSAN product family is at hand!

The software that keeps everything running


TEKSYS is the new platform where the universal parameters apply for all the software modules of the meters, and meter readout takes place. A standard userfriendly


interface ensures easy use. The standard export formats make integration in your billing systems easier. The software is future-proof, simple to use and is light on resources.


PROGRAM INSTALLATION

You can install RF and M-Bus reading program by the link as shown below. After you click on the link, TEKSAN/Mbus/install page will be opened.

ftp://78.189.210.204/Teksan/Mbus/install/








HOW TO USE THE PROGRAM





Tasks Tools Help



After the installation, we open the program and then we select W-MBus(RF) or Mbus on the opened box.





Firstly we should decide which reading we will do, MBus or W-MBus(RF). After that we click on Tools and then Settings. When we do all the settings, we click on Save button.

0 0 X



